

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
John I. Lipp

Serial No.: 10/023,346

Filed: 12/17/2001

For: Kalman Filter With Adaptive Measurement
Variance Estimator

Group Art Unit: 2124

Examiner: TAN V. MAI

Atty. Dkt. No.: 2063.001700

Client Docket: VS-00533

Confirmation: 7997

REQUEST FOR CERTIFICATE OF CORRECTION

ATTN: Certificate of Corrections Branch
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

The patentee requests a certificate of correction for Patent and Trademark Office ("PTO") errors pursuant to 37 C.F.R. § 1.322.

The Commissioner is authorized to charge the fee the \$100 fee to Williams, Morgan & Amerson, P.C. Deposit Account Number 50-0786/2063.001700.

The following error is listed on the attached form PTO/SB/44:


In the Assignee, replace "Lockheed Martin" with - - Lockheed Martin Corporation - -.

Respectfully submitted,

WILLIAMS, MORGAN & AMERSON, P.C.

Date: April 18, 2007

10333 Richmond, Suite 1100
Houston, Texas 77042
(713) 934-7000
(713) 934-7011 (facsimile)

By: /Jeffrey A. Pyle/ 
Jeffrey A. Pyle, Reg. No. 34,904
ATTORNEY FOR APPLICANT

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 7,209,938
 DATED : April 24, 2007
 INVENTOR(S) : John I. Lipp

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In the Assignee, replace "Lockheed Martin" with -- Lockheed Martin Corporation--.

MAILING ADDRESS OF SENDER:
 Jeffrey A. Pyle
 WILLIAMS, MORGAN & AMERSON, P.C.
 10333 Richmond, Suite 1100
 Houston, Texas 77042

PATENT NO.
 No. of add'l. copies
 @ 50¢ per page
 ➡ _____